

#### REPUBLIC OF THE GAMBIA

## MINISTRY OF HIGHER EDUCATION, RESEARCH, SCIENCE AND TECHNOLOGY

Opposite Gambia Chamber of Commerce &Industry (GCCI) Building Senegambia Highway, Bijilo, The Gambia

## **Contract Title:**

# Procurement of Furniture and ICT for USET Engineering Program

Name of Project

December Agency:

: Mode ST/ST88/AC8-TMPACT/GS/021 : Gambia Second Africa Higher Education

Centers of Excellence for Development Impact (ACE)

**Executing Agency:** 

Ministry of Higher Education, Research,

Science and Technology (MoHERST)

Implementation Agency: Projects Coordination Unit

Country

The Gambia 7, 2025

Ref No

: MoHERST/STEE/ACE-IMPACT/GS/021

**Project ID** 

:P169064

21st January, 2025

\*/40.

W

## Procurement of Furniture and ICT Equipment for USET Engineering Programme

#### **Between**

The Ministry of Higher Education, Research, Science and Technology Senegambia Highway Bijilo

And

QuantumNET Ltd Kairaba Avenue Serrekunda

X47

N

### **Contract Agreement**

THIS CONTRACT AGREEMENT is made the 21st day of January, 2025

#### **BETWEEN**

- (1) The Ministry of Higher Education, Research, Science and Technology (MoHERST), The Gambia, and having its principal place of business at Bertil Harding Highway, Bijilo, The Gambia (hereinafter called "the Purchaser"), of the one part, and
- (2) **QuantumNET Ltd** a corporation incorporated under the laws of The Gambia and having its principal place of business at **Kairaba Avenue**, **Serekunda**. (hereinafter called "the Supplier"), of the other part:
- WHEREAS the Purchaser invited bids for certain Goods and ancillary services, viz., Supply of Furniture and ICT Equipment, and has accepted a Bid by the Supplier for the supply of those Goods and Services in the Sum of an inclusive contract price of US\$ 400,000.00 (Four hundred thousand United States Dollar) for a delivery period of 54 days from the date of signing of the Contract to 15th March, 2025.

The Purchaser and the Supplier agree as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Contract documents referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement. This Agreement shall prevail over all other contract documents.
  - (a) the Letter of Acceptance
  - (b) the Letter of Bid
  - (c) the Addenda Nos.\_\_\_\_ (if any)
  - (d) Special Conditions of Contract
  - (e) General Conditions of Contract
  - (f) the Specification (including Schedule of Requirements and Technical Specifications)
  - (g) the completed Schedules (including Price Schedules)
  - (h) any other document listed in GCC as forming part of the Contract
- 3. In consideration of the payments to be made by the Purchaser to the Supplier as specified in this Agreement, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

XQ47

Page 4 of 38

The Purchaser hereby covenants to pay the Supplier in consideration of the provision of 4. the Goods and Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of The Gambia on the day, month and year indicated above.

MO HER

For and on behalf of the Purchaser Mr. Mucktarr M.Y Darboe Deputy Permanent Secretary - Technical Ministry of Higher Education Research, Science & Technology Bertil Hardin Highway, Bijilo, DATE DATE The Gambia

Telephone: +220 3906604

In the presence of

Abdoulie Sowe - Project Manager

**Projects Coordination Units** Willy Thorpe Place Building, Banjul, The Gambia

Telephone: (00220) 9966871 / 2019871

For and on behalf of the Supplier

Mr. Ousman Kebbeh

QuantumNET Kairaba Avenue

Serrekunda

In the presence of

QuantumNET Kairaba Avenue

Serrekunda

## **General Conditions of Contract**

xely).

## Section VII. General Conditions of Contract

### **Table of Clauses**

1. Definitions	
2. Contract Documents	10
3. Fraud and Corruption	10
4. Interpretation	11
5. Language	12
6. Joint Venture, Consortium or Association	13
7. Eligibility	13
8. Notices	13
9. Governing Law	
10. Settlement of Disputes	14
11. Inspections and Audit by the Bank	14
12. Scope of Supply	14
13. Delivery and Documents	
14. Supplier's Responsibilities	
15. Contract Price	
16. Terms of Payment	
17. Taxes and Duties	15
18. Performance Security	
19. Copyright	
20. Confidential Information	
21. Subcontracting	
22. Specifications and Standards	
23. Packing and Documents	
24. Insurance	18
25. Transportation	19
26. Inspections and Tests	
27. Liquidated Damages	
28. Warranty	20
29. Patent Indemnity	20
30. Limitation of Liability	21
31. Change in Laws and Regulations	22
32. Force Majeure	23
,	23



33. Change Orders and Contract Amendments	0.4
34. Extensions of Time	24
35. Termination	24
36. Assignment	25
37. Export Restriction	26
F 1.00 W COOK	26

x/47.

be

## Section VII. General Conditions of Contract

#### **Definitions**

- 1.1 The following words and expressions shall have the meanings hereby assigned to them:
  - (a) "Bank" means the World Bank and refers to the International Bank for Reconstruction and Development (IBRD) or the International Development Association (IDA).
  - (b) "Contract" means the Contract Agreement entered into between the Purchaser and the Supplier, together with the Contract Documents referred to therein, including all attachments, appendices, and all documents incorporated by reference therein.
  - (c) "Contract Documents" means the documents listed in the Contract Agreement, including any amendments thereto.
  - (d) "Contract Price" means the price payable to the Supplier as specified in the Contract Agreement, subject to such additions and adjustments thereto or deductions therefrom, as may be made pursuant to the Contract.
  - (e) "Day" means calendar day.
  - (f) "Completion" means the fulfillment of the Related Services by the Supplier in accordance with the terms and conditions set forth in the Contract.
  - (g) "GCC" means the General Conditions of Contract.
  - (h) "Goods" means all of the commodities, raw material, machinery and equipment, and/or other materials that the Supplier is required to supply to the Purchaser under the Contract.
  - (i) "Purchaser's Country" is the country specified in the Special Conditions of Contract (SCC).
  - (j) "Purchaser" means the entity purchasing the Goods and Related Services, as specified in the SCC.
  - (k) "Related Services" means the services incidental to the supply of the goods, such as insurance, installation, training and initial maintenance and other such obligations of the Supplier under the Contract.

AM.



- (l) "SCC" means the Special Conditions of Contract.
- (m) "Subcontractor" means any natural person, private or government entity, or a combination of the above, to whom any part of the Goods to be supplied or execution of any part of the Related Services is subcontracted by the Supplier.
- (n) "Supplier" means the natural person, private or government entity, or a combination of the above, whose bid to perform the Contract has been accepted by the Purchaser and is named as such in the Contract Agreement.
- (o) "The Project Site," where applicable, means the place named in the **SCC**.

#### Contract Documents

2.1 Subject to the order of precedence set forth in the Contract Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory. The Contract Agreement shall be read as a whole.

#### Fraud and Corruption

- 3.1 If the Purchaser determines that the Supplier and/or any of its personnel, or its agents, or its Subcontractors, consultants, service providers, suppliers and/or their employees has engaged in corrupt, fraudulent, collusive, coercive or obstructive practices, in competing for or in executing the Contract, then the Purchaser may, after giving 14 days' notice to the Supplier, terminate the Supplier's employment under the Contract and cancel the contract, and the provisions of Clause 35 shall apply as if such expulsion had been made under Sub-Clause 35.1.
  - (a) For the purposes of this Sub-Clause:
    - "corrupt practice" is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party<sup>1</sup>;
    - (ii) "fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to

Chy.

PA

avoid an obligation2;

- (iii) "collusive practice" is an arrangement between two or more parties<sup>3</sup> designed to achieve an improper purpose, including to influence improperly the actions of another party;
- (iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party<sup>4</sup>;
- (v) "obstructive practice" is
  - (aa) deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a Bank investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
  - (bb) acts intended to materially impede the exercise of the Bank's inspection and audit rights provided for under Clause 11 [Inspections and Audits by the Bank].
- 3.2 Should any employee of the Supplier be determined to have engaged in corrupt, fraudulent, collusive, coercive, or obstructive practice during the purchase of the Goods, then that employee shall be removed.

**Interpretation** 4.1 If the context so requires it, singular means plural and vice versa.

My .

Be

#### 4.2 Incoterms

- (a) Unless inconsistent with any provision of the Contract, the meaning of any trade term and the rights and obligations of parties thereunder shall be as prescribed by Incoterms.
- (b) The terms EXW, CIP, FCA, CFR and other similar terms, when used, shall be governed by the rules prescribed in the current edition of Incoterms specified in the SCC and published by the International Chamber of Commerce in Paris, France.

#### 4.3 Entire Agreement

The Contract constitutes the entire agreement between the Purchaser and the Supplier and supersedes all communications, negotiations and agreements (whether written or oral) of the parties with respect thereto made prior to the date of Contract.

#### 4.4 Amendment

No amendment or other variation of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each party thereto.

#### 4.5 Non waiver

- (a) Subject to GCC Sub-Clause 4.5(b) below, no relaxation, forbearance, delay, or indulgence by either party in enforcing any of the terms and conditions of the Contract or the granting of time by either party to the other shall prejudice, affect, or restrict the rights of that party under the Contract, neither shall any waiver by either party of any breach of Contract operate as waiver of any subsequent or continuing breach of Contract.
- (b) Any waiver of a party's rights, powers, or remedies under the Contract must be in writing, dated, and signed by an authorized representative of the party granting such waiver, and must specify the right and the extent to which it is being waived.

#### 4.6 Severability

If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition,

Myo.

Bu

ineligibility pursuant to the Bank's prevailing sanctions procedures).

#### Scope of Supply

12.1 The Goods and Related Services to be supplied shall be as specified in the Schedule of Requirements.

#### Delivery and **Documents**

13.1 Subject to GCC Sub-Clause 33.1, the Delivery of the Goods and Completion of the Related Services shall be in accordance with the Delivery and Completion Schedule specified in the Schedule of Requirements. The details of shipping and other documents to be furnished by the Supplier are specified in the SCC.

#### Supplier's Responsibilitie

14.1 The Supplier shall supply all the Goods and Related Services included in the Scope of Supply in accordance with GCC Clause 12, and the Delivery and Completion Schedule, as per GCC Clause 13.

#### **Contract Price**

15.1 Prices charged by the Supplier for the Goods supplied and the Related Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments authorized in the SCC.

- Terms of Payment 16.1 The Contract Price, including any Advance Payments, if applicable, shall be paid as specified in the SCC.
  - 16.2 The Supplier's request for payment shall be made to the Purchaser in writing, accompanied by invoices describing, as appropriate, the Goods delivered and Related Services performed, and by the documents submitted pursuant to GCC Clause 13 and upon fulfillment of all other obligations stipulated in the Contract.
  - 16.3 Payments shall be made promptly by the Purchaser, but in no case later than sixty (60) days after submission of an invoice or request for payment by the Supplier, and after the Purchaser has accepted it.
  - 16.4 The currencies in which payments shall be made to the Supplier under this Contract shall be those in which the bid price is expressed.
  - 16.5 In the event that the Purchaser fails to pay the Supplier any payment by its due date or within the period set forth in the SCC, the Purchaser shall pay to the Supplier interest on the amount of such delayed payment at the rate shown in the SCC, for the period of delay until payment has been made in full, whether before or after judgment or arbitrage

8.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

#### **Governing Law**

9.1 The Contract shall be governed by and interpreted in accordance with the laws of the Purchaser's Country, unless otherwise specified in the **SCC**.

## Settlement of Disputes

- 10.1 The Purchaser and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
- 10.2 If, after twenty-eight (28) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Purchaser or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract. Arbitration proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 10.3 Notwithstanding any reference to arbitration herein,
  - (a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
  - (b) the Purchaser shall pay the Supplier any monies due the Supplier.

#### Inspections and Audit by the Bank

11.1 The Supplier shall permit, and shall cause its Subcontractors and consultants to permit, the Bank and/or persons appointed by the Bank to inspect the Supplier's offices and all accounts and records relating to the performance of the Contract and the submission of the bid, and to have such accounts and records audited by auditors appointed by the Bank if requested by the Bank. The Supplier's and its Subcontractors and consultants' attention is drawn to Clause 3 [Fraud and Corruption], which provides, inter alia, that acts intended to materially impede the exercise of the Bank's inspection and audit rights provided for under this Sub-Clause 11.1 constitute a prohibited practice subject to contract termination (as well as to a determination of

xelys.

ow

invalidity or unenforceability shall not affect the validity or enforceability of any other provisions and conditions of the Contract.

#### Language

- The Contract as well as all correspondence and documents relating to the Contract exchanged by the Supplier and the Purchaser, shall be written in the language specified in the SCC. Supporting documents and printed literature that are part of the Contract may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified, in which case, for purposes of interpretation of the Contract, this translation shall govern.
- 5.2 The Supplier shall bear all costs of translation to the governing language and all risks of the accuracy of such translation, for documents provided by the Supplier.

#### Joint Venture, Consortium or Association

of the parties shall be jointly and severally liable to the Purchaser for the fulfillment of the provisions of the Contract and shall designate one party to act as a leader with authority to bind the joint venture, consortium, or association. The composition or the constitution of the joint venture, consortium, or association shall not be altered without the prior consent of the Purchaser.

#### **Eligibility**

- 7.1 The Supplier and its Subcontractors shall have the nationality of an eligible country. A Supplier or Subcontractor shall be deemed to have the nationality of a country if it is a citizen or constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country.
- 7.2 All Goods and Related Services to be supplied under the Contract and financed by the Bank shall have their origin in Eligible Countries. For the purpose of this Clause, origin means the country where the goods have been grown, mined, cultivated, produced, manufactured, or processed; or through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its components.

#### **Notices**

8.1 Any notice given by one party to the other pursuant to the Contract shall be in writing to the address specified in the SCC. The term "in writing" means communicated in written form with proof of receipt.

Feyo.

W/

award.

#### **Taxes and Duties**

- 17.1 For goods manufactured outside the Purchaser's Country, the Supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the Purchaser's Country.
- 17.2 For goods Manufactured within the Purchaser's country, the Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Purchaser.
- 17.3 If any tax exemptions, reductions, allowances or privileges may be available to the Supplier in the Purchaser's Country, the Purchaser shall use its best efforts to enable the Supplier to benefit from any such tax savings to the maximum allowable extent.

#### Performance Security

- 18.1 If required as specified in the SCC, the Supplier shall, within twenty-eight (28) days of the notification of contract award, provide a performance security for the performance of the Contract in the amount specified in the SCC.
- 18.2 The proceeds of the Performance Security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- 18.3 As specified in the SCC, the Performance Security, if required, shall be denominated in the currency(ies) of the Contract, or in a freely convertible currency acceptable to the Purchaser; and shall be in one of the format stipulated by the Purchaser in the SCC, or in another format acceptable to the Purchaser.
- 18.4 The Performance Security shall be discharged by the Purchaser and returned to the Supplier not later than twenty-eight (28) days following the date of Completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in the **SCC**.

#### Copyright

19.1 The copyright in all drawings, documents, and other materials containing data and information furnished to the Purchaser by the Supplier herein shall remain vested in the Supplier, or, if they are furnished to the Purchaser directly or through the Supplier by any third party, including suppliers of materials, the copyright in such materials shall

Ry

BU

#### remain vested in such third party

#### Confidential Information

- 20.1 The Purchaser and the Supplier shall keep confidential and shall not, without the written consent of the other party hereto, divulge to any third party any documents, data, or other information furnished directly or indirectly by the other party hereto in connection with the Contract, whether such information has been furnished prior to, during or following completion or termination of the Contract. Notwithstanding the above, the Supplier may furnish to its Subcontractor such documents, data, and other information it receives from the Purchaser to the extent required for the Subcontractor to perform its work under the Contract, in which event the Supplier shall obtain from such Subcontractor an undertaking of confidentiality similar to that imposed on the Supplier under GCC Clause 20.
- 20.2 The Purchaser shall not use such documents, data, and other information received from the Supplier for any purposes unrelated to the contract. Similarly, the Supplier shall not use such documents, data, and other information received from the Purchaser for any purpose other than the performance of the Contract.
- 20.3 The obligation of a party under GCC Sub-Clauses 20.1 and 20.2 above, however, shall not apply to information that:
  - (a) the Purchaser or Supplier need to share with the Bank or other institutions participating in the financing of the Contract;
  - (b) now or hereafter enters the public domain through no fault of that party;
  - (c) can be proven to have been possessed by that party at the time of disclosure and which was not previously obtained, directly or indirectly, from the other party; or
  - (d) otherwise lawfully becomes available to that party from a third party that has no obligation of confidentiality.
- 20.4 The above provisions of GCC Clause 20 shall not in any way modify any undertaking of confidentiality given by either of the parties hereto prior to the date of the Contract in respect of the Supply or any part thereof.
- 20.5 The provisions of GCC Clause 20 shall survive completion

Ry ?

av

or termination, for whatever reason, of the Contract.

#### Subcontracting

- 21.1 The Supplier shall notify the Purchaser in writing of all subcontracts awarded under the Contract if not already specified in the bid. Such notification, in the original bid or later shall not relieve the Supplier from any of its obligations, duties, responsibilities, or liability under the Contract.
- 21.2 Subcontracts shall comply with the provisions of GCC Clauses 3 and 7.

### Standards

### Specifications and 22.1 Technical Specifications and Drawings

- The Goods and Related Services supplied under this (a) Contract shall conform to the technical specifications and standards mentioned in Section VI, Schedule of Requirements and, when no applicable standard is mentioned, the standard shall be equivalent or superior to the official standards whose application is appropriate to the Goods' country of origin.
- (b) Supplier shall be entitled to disclaim responsibility for any design, data, drawing, specification or other document, or any modification thereof provided or designed by or on behalf of the Purchaser, by giving a notice of such disclaimer to the Purchaser.
- Wherever references are made in the Contract to codes and standards in accordance with which it shall be executed, the edition or the revised version of such codes and standards shall be those specified in the Schedule of Requirements. During Contract execution, any changes in any such codes and standards shall be applied only after approval by the Purchaser and shall be treated in accordance with GCC Clause 33.

#### Packing and **Documents**

23.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. During transit, the packing shall be sufficient to withstand, without limitation, rough handling and exposure to extreme temperatures, salt and precipitation, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy

handling facilities at all points in transit.

23.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in the SCC, and in any other instructions ordered by the Purchaser.

#### Insurance

24.1 Unless otherwise specified in the SCC, the Goods supplied under the Contract shall be fully insured—in a freely convertible currency from an eligible country—against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery, in accordance with the applicable Incoterms or in the manner specified in the SCC.

#### **Transportation**

25.1 Unless otherwise specified in the **SCC**, responsibility for arranging transportation of the Goods shall be in accordance with the specified Incoterms.

## Inspections and Tests

- 26.1 The Supplier shall at its own expense and at no cost to the Purchaser carry out all such tests and/or inspections of the Goods and Related Services as are specified in the SCC.
- 26.2 The inspections and tests may be conducted on the premises of the Supplier or its Subcontractor, at point of delivery, and/or at the Goods' final destination, or in another place in the Purchaser's Country as specified in the SCC. Subject to GCC Sub-Clause 26.3, if conducted on the premises of the Supplier or its Subcontractor, all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Purchaser.
- 26.3 The Purchaser or its designated representative shall be entitled to attend the tests and/or inspections referred to in GCC Sub-Clause 26.2, provided that the Purchaser bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 26.4 Whenever the Supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the Purchaser. The Supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Purchaser or its designated representative to attend the test and/or inspection.

THEY O

De

- 26.5 The Purchaser may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications codes and standards under the Contract, provided that the Supplier's reasonable costs and expenses incurred in the carrying out of such test and/or inspection shall be added to the Contract Price. Further, if such test and/or inspection impedes the progress of manufacturing and/or the Supplier's performance of its other obligations under the Contract, due allowance will be made in respect of the Delivery Dates and Completion Dates and the other obligations so affected.
- 26.6 The Supplier shall provide the Purchaser with a report of the results of any such test and/or inspection.
- 26.7 The Purchaser may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Purchaser, and shall repeat the test and/or inspection, at no cost to the Purchaser, upon giving a notice pursuant to GCC Sub-Clause 26.4.
- 26.8 The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Purchaser or its representative, nor the issue of any report pursuant to GCC Sub-Clause 26.6, shall release the Supplier from any warranties or other obligations under the Contract.

## Liquidated Damages

27.1 Except as provided under GCC Clause 32, if the Supplier fails to deliver any or all of the Goods by the Date(s) of delivery or perform the Related Services within the period specified in the Contract, the Purchaser may without prejudice to all its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in the SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in those SCC. Once the maximum is reached, the Purchaser may terminate the Contract pursuant to GCC Clause 35.

Warranty

28.1 The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they

XEY D.

N

- incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- 28.2 Subject to GCC Sub-Clause 22.1(b), the Supplier further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials, and workmanship, under normal use in the conditions prevailing in the country of final destination.
- 28.3 Unless otherwise specified in the SCC, the warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the SCC, or for eighteen (18) months after the date of shipment from the port or place of loading in the country of origin, whichever period concludes earlier.
- 28.4 The Purchaser shall give notice to the Supplier stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The Purchaser shall afford all reasonable opportunity for the Supplier to inspect such defects.
- 28.5 Upon receipt of such notice, the Supplier shall, within the period specified in the SCC, expeditiously repair or replace the defective Goods or parts thereof, at no cost to the Purchaser.
- 28.6 If having been notified, the Supplier fails to remedy the defect within the period specified in the SCC, the Purchaser may proceed to take within a reasonable period such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.

#### **Patent Indemnity**

- 29.1 The Supplier shall, subject to the Purchaser's compliance with GCC Sub-Clause 29.2, indemnify and hold harmless the Purchaser and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Purchaser may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract by reason of:
  - (a) the installation of the Goods by the Supplier or the use

RYD.

Sul

of the Goods in the country where the Site is located; and

(b) the sale in any country of the products produced by the Goods.

Such indemnity shall not cover any use of the Goods or any part thereof other than for the purpose indicated by or to be reasonably inferred from the Contract, neither any infringement resulting from the use of the Goods or any part thereof, or any products produced thereby in association or combination with any other equipment, plant, or materials not supplied by the Supplier, pursuant to the Contract.

- 29.2 If any proceedings are brought or any claim is made against the Purchaser arising out of the matters referred to in GCC Sub-Clause 29.1, the Purchaser shall promptly give the Supplier a notice thereof, and the Supplier may at its own expense and in the Purchaser's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.
- 29.3 If the Supplier fails to notify the Purchaser within twenty-eight (28) days after receipt of such notice that it intends to conduct any such proceedings or claim, then the Purchaser shall be free to conduct the same on its own behalf.
- 29.4 The Purchaser shall, at the Supplier's request, afford all available assistance to the Supplier in conducting such proceedings or claim, and shall be reimbursed by the Supplier for all reasonable expenses incurred in so doing.
- 29.5 The Purchaser shall indemnify and hold harmless the Supplier and its employees, officers, and Subcontractors from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Supplier may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract arising out of or in connection with any design, data, drawing, specification, or other documents or materials provided or designed by or on behalf of the Purchaser.

Limitation of

30.1 Except in cases of criminal negligence or willful

XEYD.

N

#### Liability

#### misconduct,

- (a) the Supplier shall not be liable to the Purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Purchaser and
- (b) the aggregate liability of the Supplier to the Purchaser, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment, or to any obligation of the supplier to indemnify the purchaser with respect to patent infringement

#### Change in Laws and Regulations

31.1 Unless otherwise specified in the Contract, if after the date of 28 days prior to date of Bid submission, any law, regulation, ordinance, order or bylaw having the force of law is enacted, promulgated, abrogated, or changed in the place of the Purchaser's country where the Site is located (which shall be deemed to include any change in interpretation or application by the competent authorities) that subsequently affects the Delivery Date and/or the Contract Price, then such Delivery Date and/or Contract Price shall be correspondingly increased or decreased, to the extent that the Supplier has thereby been affected in the performance of any of its obligations under the Contract. Notwithstanding the foregoing, such additional or reduced cost shall not be separately paid or credited if the same has already been accounted for in the price adjustment provisions where applicable, in accordance with GCC Clause 15.

#### Force Majeure

- 32.1 The Supplier shall not be liable for forfeiture of its Performance Security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- 32.2 For purposes of this Clause, "Force Majeure" means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, acts of the Purchaser in its sovereign capacity, wars or revolutions,

2512

N

fires, floods, epidemics, quarantine restrictions, and freight embargoes.

32.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

#### Change Orders and Contract Amendments

- 33.1 The Purchaser may at any time order the Supplier through notice in accordance GCC Clause 8, to make changes within the general scope of the Contract in any one or more of the following:
  - (a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
  - (b) the method of shipment or packing;
  - (c) the place of delivery; and
  - (d) the Related Services to be provided by the Supplier.
- 33.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or in the Delivery/Completion Schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this Clause must be asserted within twenty-eight (28) days from the date of the Supplier's receipt of the Purchaser's change order.
- 33.3 Prices to be charged by the Supplier for any Related Services that might be needed but which were not included in the Contract shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
- 33.4 Subject to the above, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

## Extensions of Time

34.1 If at any time during performance of the Contract, the Supplier or its subcontractors should encounter conditions impeding timely delivery of the Goods or completion of

TETO.

me

Related Services pursuant to GCC Clause 13, the Supplier shall promptly notify the Purchaser in writing of the delay, its likely duration, and its cause. As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may at its discretion extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of the Contract.

34.2 Except in case of Force Majeure, as provided under GCC Clause 32, a delay by the Supplier in the performance of its Delivery and Completion obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 26, unless an extension of time is agreed upon, pursuant to GCC Sub-Clause 34.1.

#### Termination

#### 35.1 Termination for Default

- (a) The Purchaser, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate the Contract in whole or in part:
  - (i) if the Supplier fails to deliver any or all of the Goods within the period specified in the Contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 34;
  - (ii) if the Supplier fails to perform any other obligation under the Contract; or
  - (iii) if the Supplier, in the judgment of the Purchaser has engaged in fraud and corruption, as defined in GCC Clause 3, in competing for or in executing the Contract.
- (b) In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 35.1(a), the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Related Services similar to those undelivered or not performed, and the Supplier shall be liable to the Purchaser for any additional costs for such similar Goods or Related Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

TEY 2

SV

#### 35.2 Termination for Insolvency.

The Purchaser may at any time terminate the Contract by giving notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to the Purchaser

#### 35.3 Termination for Convenience.

- The Purchaser, by notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- The Goods that are complete and ready for shipment (b) within twenty-eight (28) days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect:
  - (i) to have any portion completed and delivered at the Contract terms and prices; and/or
  - to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.

Assignment

36.1 Neither the Purchaser nor the Supplier shall assign, in whole or in part, their obligations under this Contract, except with prior written consent of the other party.

Export Restriction 37.1 Notwithstanding any obligation under the Contract to complete all export formalities, any export restrictions attributable to the Purchaser, to the country of the Purchaser, or to the use of the products/goods, systems or services to be supplied, which arise from trade regulations from a country supplying those products/goods, systems or services, and which substantially impede the Supplier from meeting its obligations under the Contract, shall release the Supplier from the obligation to provide deliveries or services, always provided, however, that the Supplier can demonstrate to the satisfaction of the



Purchaser and of the Bank that it has completed all formalities in a timely manner, including applying for permits, authorizations and licenses necessary for the export of the products/goods, systems or services under the terms of the Contract. Termination of the Contract on this basis shall be for the Purchaser's convenience pursuant to Sub-Clause 35.3.

THYD.

## **APPENDIX TO GENERAL CONDITIONS Bank's Policy- Corrupt and Fraudulent Practices**

Guidelines for Procurement of Goods, Works, and Non-Consulting Services under IBRD Loans and IDA Credits & Grants by World Bank Borrowers, dated January 2011:

#### "Fraud and Corruption:

1.16 It is the Bank's policy to require that Borrowers (including beneficiaries of Bank loans), bidders, suppliers, contractors and their agents (whether declared or not), sub-contractors, sub-consultants, service providers or suppliers, and any personnel thereof, observe the highest standard of ethics during the procurement and execution of Bank-financed contracts.<sup>5</sup> In pursuance of this policy, the Bank:

(a)

defines, for the purposes of this provision, the terms set forth below as follows:

- (i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;<sup>6</sup>;
- (ii) "fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;<sup>7</sup>
- (iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;8
- (iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;<sup>9</sup>
- (v) "obstructive practice" is:

1842

- deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a Bank investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or
- (bb) acts intended to materially impede the exercise of the Bank's inspection and audit rights provided for under paragraph 1.16(e) below.
- (b) will reject a proposal for award if it determines that the bidder recommended for award, or any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- (c) will declare misprocurement and cancel the portion of the loan allocated to a contract if it determines at any time that representatives of the Borrower or of a recipient of any part of the proceeds of the loan engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices during the procurement or the implementation of the contract in question, without the Borrower having taken timely and appropriate action satisfactory to the Bank to address such practices when they occur, including by failing to inform the Bank in a timely manner at the time they knew of the practices;
- (d) will sanction a firm or individual, at any time, in accordance with the prevailing Bank's sanctions procedures, <sup>10</sup> including by publicly declaring such firm or individual ineligible, either indefinitely or for a stated period of time: (i) to be awarded a Bank-financed contract; and (ii) to be a nominated <sup>11</sup>;
- (e) will require that a clause be included in bidding documents and in contracts financed by a Bank loan, requiring bidders, suppliers and contractors, and their sub-contractors, agents, personnel, consultants, service providers, or suppliers, to permit the Bank to inspect all accounts, records, and other documents relating to the submission of bids and contract performance, and to have them audited by auditors appointed by the Bank."

xelp.

BU

**Special Conditions of Contract** 

Ryo.

## **Section IX - Special Conditions of Contract**

The following Special Conditions of Contract (SCC) shall supplement and/or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

GCC 1.1(i)	The Purchaser's Country is: the Republic of The Gambia
GCC 1.1(j)	The Purchaser is: the Projects Coordination Unit, Ministry of Basic and Secondary Education.
GCC 1.1(0)	The Project Site(s)/Final Destination(s) is the University of Applied Science, Engineering and Technology (USET), Brikama
GCC 1.1 (p)	The term SEA/SH were used in the Contract has the following meaning:  • "Sexual Exploitation and Abuse" "(SEA)" means the following:
	<b>Sexual Exploitation</b> is defined as any actual or attempted abuse of a position of vulnerability, differential power, or trust, for sexual purposes, including, but not limited to, profiting monetarily, socially or politically from the sexual exploitation of another.
	<b>Sexual Abuse</b> is defined as the actual or threatened physical intrusion of a sexual nature, whether by force or under unequal or coercive conditions.
	• "Sexual Harassment" "(SH)" is defined as unwelcome sexual advances, requests for sexual favors, and other verbal or physical conduct of a sexual nature by contractor's personnel with other contractor's, subcontractors' or employer's personnel.
GCC 4.2 (a)	The meaning of the trade terms shall be as prescribed by Incoterms. If the meaning of any trade term and the rights and obligations of the parties thereunder shall not be as prescribed by Incoterms, they shall be as prescribed by: <b>Incoterms 2010</b>
GCC 4.2 (b)	The version edition of Incoterms shall be Incoterms 2010
GCC 5.1	The language shall be: English



SV

#### GCC 14.9

[Note to Purchaser: Under a Project assessed as high or substantial Sexual Exploitation and Abuse(SEA)/Sexual Harassment (SH) risk, include the following if the Related Services include activities that need to be performed by the Supplier's personnel such as installation, operation and/or maintenance, otherwise state: "Not Applicable".]

- GCC 14.9.1 The Supplier shall have a code of conduct, and provide appropriate sensitization, for the Supplier's personnel carrying out [state as applicable: installation/ operation/ maintenance/ operation and maintenance] that include, but not limited to, maintaining a safe working environment and not engaging in the following practices:
  - any form of sexual harassment including unwelcome sexual advances, requests for sexual favors, and other verbal or physical conduct of a sexual nature with other Supplier's or Purchaser's personnel;
  - (ii) any form of sexual exploitation, which means any actual or attempted abuse of position of vulnerability, differential power or trust, for sexual purposes, including, but not limited to, profiting monetarily, socially or politically from the sexual exploitation of another:
  - (iii) any form of sexual abuse, which means the actual or threatened physical intrusion of a sexual nature, whether by force or under unequal or coercive conditions; and
  - (iv) any form of sexual activity with individuals under the age of 18, except in case of pre-existing marriage.

GCC 14.9.2 The Purchaser may require the Supplier to remove (or cause to be removed), from the site or other places where the [state as applicable: installation/operation/maintenance/operation and maintenance] is being executed, a Supplier's personnel that undertakes behaviors that are not consistent with the code of conduct stated in GCC 14.9.1. Notwithstanding any requirement from the Purchaser to replace any such person, the Supplier shall immediately remove (or cause to be removed) any such person, from the site or other places the [state as applicable: installation/operation/maintenance/ operation and maintenance] is being executed. In either case, the Supplier shall promptly appoint, as appropriate, a suitable replacement with equivalent skills and experience.

程47

GCC 8.1	For <u>notices</u> , the Purchaser's address shall be:
	Attention: Abdoulie Sowe
	Address: Project Manager, Projects Coordination Unit Ministry of Basic and Secondary Education, Willy Thorpe Place Building, Banjul, The Gambia
	Floor/ Room number: First Floor
	City: Banjul
	ZIP Code: 00220
	Country: _: The Gambia
	Telephone: 00220 4228522
	Facsimile number: 00220 4225066
	Electronic mail address: pm.pcu@edugambia.gm
GCC 9.1	The governing law shall be the law of: The Gambia
GCC 10.2	The rules of procedure for arbitration proceedings pursuant to GCC Clause 10.2 shall be as follows:
	(a) Contract with foreign Supplier:
	If the Purchaser chooses the UNCITRAL Arbitration Rules, the following sample clause should be inserted:
	GCC 10.2 (a)—Any dispute, controversy or claim arising out of or relating to this Contract, or breach, termination or invalidity thereof, shall be settled by arbitration in accordance with the UNCITRAL Arbitration Rules as at present in force.
	If the Purchaser chooses the Rules of ICC, the following sample clause should be inserted:
	GCC 10.2 (a)—All disputes arising in connection with the present Contract shall be finally settled under the Rules of Conciliation and Arbitration of the International Chamber of Commerce by one or more arbitrators appointed in accordance with said Rules.
	If the Purchaser chooses the Rules of Arbitration Institute of Stockholm Chamber of Commerce, the following sample clause should be inserted:
	GCC 10.2 (a)—Any dispute, controversy or claim arising out of or in connection with this Contract, or the breach termination or invalidity thereof, shall be settled by arbitration in accordance with the Rules of the Arbitration Institute of the

TRY)



	Stockholm Chamber of Commerce.
	If the Purchaser chooses the Rules of the London Court of International Arbitration, the following clause should be inserted:
	GCC 10.2 (a)—Any dispute arising out of or in connection with this Contract, including any question regarding its existence, validity or termination shall be referred to and finally resolved by arbitration under the Rules of the London Court of International Arbitration, which rules are deemed to be incorporated by reference to this clause.
	(b) Contracts with Supplier national of the Purchaser's Country:
	In the case of a dispute between the Purchaser and a Supplier who is a national of the Purchaser's Country, the dispute shall be referred to adjudication or arbitration in accordance with the laws of the Purchaser's Country.
GCC 13.1	Details of Shipping and other Documents to be furnished by the Supplier are:
	Negotiable bill of lading      Insurance certificate,
	<ul> <li>Copies of the supplier's invoice showing Goods Description, quantity, unit price and total amount</li> </ul>
	<ul> <li>Inspection certificate issued by nominated inspection agency,</li> <li>Supplier's factory shipping details etc].</li> </ul>
	The above documents shall be received by the Purchaser before arrival of the Goods and, if not received, the Supplier will be responsible for any consequent expenses.

RYD

GCC 15.1	The prices charged for the Goods supplied and the related Services performed "shall not," be adjustable.  If prices are adjustable, the following method shall be used to calculate the price adjustment [see attachment to these SCC for a sample Price Adjustment Formula]	
GCC 16.1	Sample provision	
	GCC 16.1—The method and conditions of payment to be made to the Supplier under this Contract shall be as follows:	
	Payment for Goods supplied from abroad:	
	Payment of the foreign currency portion shall be made in the following manner:	
	(i) Advance Payment: Twenty (20) percent of the Contract Price shall be paid within thirty (30) days of the signing of the Contract, and upon submission of the claim and a bank guarantee from an acceptable bank for an equivalent amount valid until the Goods are delivered and, in the form, provided in the bidding documents or another form acceptable to the Purchaser.	
	(ii) On Shipment: Seventy (70) percent of the Contract Price shall be paid within thirty (30) days upon submission of original bill of lading, packing list, insurance and invoice.	
	(iii) On Acceptance: Ten (10) percent of the Contract Price of Goods received shall be paid within thirty (30) days of receipt of the Goods upon submission of the claim supported by the acceptance certificate issued by the Purchaser.	
	Payment for Goods and Services supplied from within the Purchaser's country:	
	Payment for Goods and Services supplied from within the Purchaser's country shall be made in Dalasi, as follows:	
	(i) Advance Payment: Twenty (20) percent of the Contract Price shall be paid within thirty (30) days of the signing of the Contract against a simple receipt and a bank guarantee for the equivalent amount and in the form provided in the bidding documents or another form acceptable to the Purchaser.	
	(ii) On Delivery: Seventy (70) percent of the Contract Price shall be paid on receipt of the Goods and upon submission of the	

型力

SV

	documents energified in CCC CL 12
	documents specified in GCC Clause 13.  (iii) On Acceptance: The remaining ten (10) percent of the Contract Price shall be paid to the Supplier within thirty (30) days after the date of the acceptance coefficients for the date.
	date of the acceptance certificate for the respective delivery issued by the Purchaser.
GCC 16.5	The payment-delay period after which the Purchaser shall pay interest to the supplier shall be 60 days.
	The interest rate that shall be applied is 0.02 %
GCC 18.1	A Performance Security "shall" be required
	Performance Security shall be: 10% of the Contract Price.
GCC 18.3	If required, the Performance Security shall be in the form of: "a Demand Guarantee" or "a Performance Bond"
	If required, the Performance security shall be denominated in the currencies of payment of the Contract, in accordance with their portions of the Contract Price"
GCC 18.4	Discharge of the Performance Security shall take place: After Final Acceptance
GCC 23.2	The packing, marking, and documentation within and outside the packages shall be: The Permanent Secretary Ministry of Higher Education Research, Science & Technology Bertil Hardin Highway, Bijilo, The Gambia
GCC 24.1	The insurance coverage shall be as specified in the Incoterms.
GCC 25.1	Responsibility for transportation of the Goods shall be as specified in the Incoterms. 2010
	If not in accordance with Incoterms, responsibility for transportation shall be as follows: "The Supplier is required under the Contract to transport the Goods to a specified place of final destination within the Purchaser's country, defined as the Project Site, transport to such place of destination in the Purchaser's country, including insurance and storage, as shall be specified in the Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price";
GCC 25.2	Incidental services to be provided are:
	NA NA





	NA .
GCC 26.1	The inspections and tests shall be: Inspections and tests will be conducted by the relevant officers of USET and the consultant
GCC 26.2	The Inspections and tests shall be conducted at:
	USET Campus Brikama, The Gambia.
GCC 27.1	The liquidated damage shall be: 0.05% per week
GCC 27.1	The maximum amount of liquidated damages shall be: 10%
GCC 28.3	The period of validity of the Warranty shall be: 365 days
	For purposes of the Warranty, the place(s) of final destination(s) shall be:
	GCC 28.3—In partial modification of the provisions, the warranty period shall be <b>8760</b> hours of operation or <b>12</b> months from date of acceptance of the Goods or <b>16</b> months from the date of shipment, whichever occurs earlier. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the Contract. If, for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall, at its discretion, either:
	(a) make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests in accordance with SCC 4,
	or
	(b) pay liquidated damages to the Purchaser with respect to the failure to meet the contractual guarantees. The rate of these liquidated damages shall be 0.10%
GCC 28.5, GCC 28.6	The period for repair or replacement shall be: 20 days.
GCC 33.4	If the value engineering proposal is approved by the Purchaser the amount to be paid to the Supplier shall be% (insert appropriate percentage. The percentage is normally up to 50%) of the reduction in the Contract Price. NA

My ?

Page 37 of 38



## BILL SUMMARY

TEM	BUILDING/LEVI	EL DESIGNATION	QTY	UNIT PRICE (\$)	TOTAL PRICE (\$)
11	DEPARTMENT	OF CIVIL ENGINEERING	USD	71097.64	
	Ground Floor	Surveying Lab	1	5167.05	5167.05
		Soil Testing Lab	1	5308.14	5308.14
		Material Testing Lab	1	4912.7	4912.7
	First Floor	Classroom	2	10,072.79	20145.58
		Studio	1	11819.54	11819.54
		Lecturers Office	3	719.81	2159.43
	Second Floor	Classroom	2	10,072.79	20145.58
		Lecturers Office	2	719.81	1439.62
		OF ELECTRIC NIC ENGINEERING	USD 9	91853.51	
	Ground Floor	Power Electronics Lab	1	4039.65	4039.65
		Power Systems Lab	1	4885.53	4885.53
		Electrical Machines Lab	1	4885.53	4885.53
		Machines & BEE Lab	1	4240.35	4240.35
	First Floor	Control Systems Lab	1	4403.88	4403.88
		Electrical & Measurements Instruments Lab	1	4562.94	4562.94
		EEM Lab	1	4562.94	4562.94
		Drivers Lab	1	4562.94	4562.94
		Lecture's Office	5	719.81	3599.05
	Second Floor	Classroom	4	10,072.79	40291.16
2		Studio	1	11819.54	11819.54
	DEPARTMENT ( MECHANICAL E	OF ENGINEERING		79591.56	11010.04
	Ground Floor	Heat & Mass Lab	1	3978.71	3978.71
		Thermodynamics Lab	1	4885.54	4885.54
		Refrigeration & Air Conditioning Lab	1	5208.13	5208.13
3		Hydraulic & Fluid Mechanics Lab	1	4623.89	4623.89
		Theory of Machines Lab	1	4251.27	4251.27
		Welding Workshop	1	4251.27	4251.27
		Mechanical Workshop	1	4251.27	4251.27
		Automative Lab & Workshop	1	4251.27	4251.27
	First Floor	Classroom	2	10,072.79	20145.58
		Lectrures Office	3	719.81	2159.43

程2.

SW

Second Floor	Classroom	2	10,072.79	20145.58
	Lectrures Office	2	719.81	1439.62

ITEM	BUILDING/LEVEL	DESIGNATION	QTY	UNIT PRICE (US \$)	TOTAL PRICE (US \$)
04	OFFICES, LECTU	RE THEATRE & LIBRARY	USD	113214.77	
	Ground Floor	Entrance Lobby and Reception	1	10391.12	10391.12
		Lecture Theatre	1	74981.9	74981.9
		Mini Library (3desks, 14 chairs, 6shelves)	1	6500.00	6500.00
	First Floor	Vice Chancellor's (VC) Office & VC Secretary's Office	1	9250.25	9250.25
		Conference/Meeting Room	1	9462.8	9462.8
		Registrar's Office & Admin.	1	9128.70	9128.70
		TOTAL		US \$ 3	62,257.48
		FREIGHT & INS		US\$	45,000.00
		Discount for CRS		(US\$	7,257.48)
		GRAND TOTAL		USD 4	00,000.00



ou

∑ ∐	TEM DESCRIPTION	VISUAL & ITEM CODE	UNIT QUANTITY PRICE (US\$)	UNIT PRICE (US \$)	TOTAL (US \$)
	CLASSROOM				
01	Lecturer's Chair · Robust office visitor chair with strong steel legs, leather back and leather seat.		-	154.67	154.67
05	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel,epoxy paint · Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.		-	230.52	230.52
03	Smart Board  · 3m x 1.2m  · responsive with 4 simultaneous contact points (finger and / or stylus).  · The table recognizes the objects: finger /  stylus / eraser. · It comes with the SMART  Learning educational suite		-	2649.60	2649.60
40	Classroom Movable Chair & Desk set Chair and table set. Robust propriety units with high quality finish. Strong steel legs		25	281.52	7038

4/7

-
0,
-:
S
072.79
9
0
10,
~
1
4
07
10
U
SN)
1
T
-TOTAL
3-T
B-T
UB-T
SUB-T
SUB-T
SUB-T

MIT	TEM DESCRIPTION	VICITAL 9		TINIT	-<+0+
  -  -		VISUAL & ITEM CODE	QUANTITY PRICE (US \$)	PRICE (US \$)	(US \$)
	STUDIO				
10	Lectures Chair · Robust office visitor chair with strong steel legs, leather back and leather seat.		~	154.67	154.67
05	Desk – Type A  · 4-legged teacher desk 130x65x76 cm, with drawers  · Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  · Melamine top, thickness 19 mm or laminate thickness 21 mm  · Melamine base and sides thickness 19 mm M3 fire retardant		~	230.52	230.52
8	Lockable Metal Office Cabinet – Type B  • With Shelves - Individually height adjustable compartments  • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  • 4 shelves (wxd): approx. 59.5 x 36 cm //  • Materials: steel  • Easy assembly  • High quality powder coated steel  • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  • The body and the doors reinforced by a box section,  • In particularly durable powder coated steel sheet,	***	<del>-</del>	173.55	173.55

Pys.

TEM	ITEM DESCRIPTION	VISUAL & ITEM CODE	QUANTITY	QUANTITY UNIT PRICETOTAL (US \$) ((US \$)	TOTAL ((US \$)
	LECTURER'S OFFICE				
10	Office Chair		1	277.55	277.55
	Office chair- executive swivel chair, with leather back and seat, round steel	4			
	arm and legs.				
03	Desk – Type A		1	230.52	230.52
	· 4-legged teacher desk 130x65x76 cm, with drawers	Tr.			
	· Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1				
	flame retardant steel, epoxy paint				
	· Melamine top, thickness 19 mm or laminate thickness 21 mm				
	· Melamine base and sides, thickness 19 mm, M3 fire retardant.				

PM.

BU

4	Lockable Metal Office Cabinet – Type B		137.55	137.55
	Virth Shelves - Individually height adjustable compartments  Total dimensions (hxwxd): approx 120 x 60 x 40 cm	N.		
	4 shelves (wxd): approx. 59.5 x 36 cm //			
	· Materials: steel			
	· Easy assembly			
	· High quality powder coated steel			
	· Reinforced hinged doors (opening angle: 130 °) equipped			
	with sound-absorbing rubber buffers			
	· The body and the doors reinforced by a box section,			
	· In particularly durable powder coated steel sheet,			
05	White Board	_	74.19	74.19
	· 1m x 1m Professional aluminium-framed magnetic white board			
		SIIB TOTAL (IIS \$) 719 81	¢) 710 81	
		SOD-IOI-GOS	10.61	

ITEM	TEM DESCRIPTION	VISUAL &		LINU	TOTAL
		ITEM	QUANTITY PRICE (US \$)	PRICE (US \$)	(ns \$)
	SURVEYING LABORATORY				
10	Lecturer/ Technician Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.		2	154.62	309.34
03	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.		~	230.52	230.52

Topp

40	Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 1000Kg load		8	322.59	645.18
02	Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360Kg load		Q	584.24	1168.47
90	Lockable Metal Office Cabinet – Type B  • With Shelves - Individually height adjustable compartments  • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  • 4 shelves (wxd): approx. 59.5 x 36 cm //  • Materials: steel  • Easy assembly  • High quality powder coated steel  • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  • The body and the doors reinforced by a box section,  • In particularly durable powder coated steel sheet,			172.22	172.22
20	Lab Chair / Workshop Chair - Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	1)-8	30	78.66	2359.8
80	Wash Basin  Double unit wash basin stainless steel, anti-corrosion  lockable cabinet with shelves complete with taps and drainage system 60x120x100cm	L	_	281.52	281.52





			60:1016 (+ 00) TV (- 00)	20.1010	
₩ E	DESCRIPTION	VISUAL & ITEM CODF	QUANTITY UNIT	UNIT PRICE	TOTAL (US\$)
	SOIL TESTING LABORATORY				
	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.		N	154.62	309.34
	Desk – Type A  · 4-legged teacher desk 130x65x76 cm, with drawers  · Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  · Melamine top, thickness 19 mm or laminate thickness 21 mm  · Melamine base and sides, thickness 19 mm. M3 fire retardant.		τ-	230.52	230.52
	Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360Kg load	R	O	584.24	1168.47
	Work Table Type 3 Countertop – Phenolic/epoxy resin board/ceramic/granite/marble top, Steel leg frame, 1500 x 750 x840mm,.		-	786.27	786.27



90	Lockable Metal Office Cabinet – Type B		_	172.22	172.22	
	With Shelves - Individually height adjustable compartments					
	· Total dimensions (hxwxd): approx. 120 x 60 x 40 cm	22.				
	· 4 shelves (wxd): approx. 59.5 x 36 cm //					
	· Materials: steel					
	· Easy assembly					
	· High quality powder coated steel					
	· Reinforced hinged doors (opening angle: 130 °) equipped with					
	sound-absorbing rubber buffers					
	· The body and the doors reinforced by a box section,					
	· In particularly durable powder coated steel sheet,					
07	Lab Chair / Workshop Chair	The	30	78.66	2359.8	
	· Robust wooden top seat, with strong steel legs on wheels, and stainless	1				
	steel foot-rest					
						1
80	Wash Basin		1	281.52	281.52	

80	Wash Basin  Double unit wash basin stainless steel, anti-corrosion  lockable cabinet with shelves  complete with taps and drainage system  60x120x100cm	~	281.52	281.52
	65	SUB-TOTAL (US \$) 5308.14	5308.14	





ITEM	TEM DESCRIPTION	VISUAL &	QUANTITY UNIT	LUNIT	TOTAL
		CODE		(US \$)	(000)
	MATERIAL TESTING LABORATORY				
01	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	<b>%</b> (-	a	154.62	309.34
03	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.		~	230.52	230.52
40	Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360Kg load		8	584.24	1168.48
05	Work Table Type 3 Countertop – Phenolic/epoxy resin board/ceramic/granite/marble top, Steel leg frame, 1500 x 750 x840mm,		<del></del>	390.82	390.82

Chy.



90	Lockable Metal Office Cabinet – Type A  • With Shelves - Individually height adjustable compartments  • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  • 4 shelves (wxd): approx. 59.5 x 36 cm //  • Materials: steel  • Easy assembly  • High quality powder coated steel  • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  • The body and the doors reinforced by a box section,  • In particularly durable powder coated steel sheet,		_	172.22	172.22
20	Lab Chair / Workshop Chair Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	0	30	78.66	2359.8
80	Wash Basin  Double unit wash basin stainless steel, anti-corrosion  lockable cabinet with shelves  complete with taps and drainage system  60x120x100cm	t.	-	281.52	281.52

Che Che

QUANTITY UNIT PRICE TOTAL (US \$) (US \$)

VISUAL & ITEM CODE

TEM DESCRIPTION

SUB-TOTAL (US \$) 4912.7



	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.		N	154.62	309.34
83	Desk – Type A	= [	-	230.52	230.52
	· 4-legged teacher desk 130x65x76 cm, with drawers · Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame				
	retardant steel, epoxy paint · Melamine top, thickness 19 mm or laminate thickness 21 mm				
,	Melamine base and sides, thickness 19 mm, M3 fire retardant.			0	
4	Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360 Kg	R	က	322.59	967.77
	load	1			

R

stable compartments  x 60 x 40 cm  e: 130 °) equipped with  a box section, teel sheet,  eel legs on wheels, and stainless	02	Lockable Metal Office Cabinet – Type B		_	172.22	172.22	22
Total dimensions (hxwxd): approx. 120 x 60 x 40 cm 4 shelves (wxd): approx. 59.5 x 36 cm // Materials: steel Easy assembly High quality powder coated steel Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers The body and the doors reinforced by a box section, In particularly durable powder coated steel sheet, Lab Chair / Workshop Chair Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		· With Shelves - Individually height adjustable compartments					
• 4 shelves (wxd): approx. 59.5 x 36 cm // • Materials: steel • Easy assembly • High quality powder coated steel • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers • The body and the doors reinforced by a box section, • In particularly durable powder coated steel sheet, Lab Chair / Workshop Chair • Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		Total dimensions (hxwxd): approx. 120 x 60 x 40 cm	ak'				
High quality powder coated steel     Easy assembly     High quality powder coated steel     Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers     The body and the doors reinforced by a box section,     In particularly durable powder coated steel sheet,     Lab Chair / Workshop Chair     Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		· 4 shelves (wxd): approx. 59.5 x 36 cm //					
Easy assembly  High quality powder coated steel  Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  The body and the doors reinforced by a box section,  In particularly durable powder coated steel sheet,  Lab Chair / Workshop Chair  Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		· Materials: steel	•				
High quality powder coated steel Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers The body and the doors reinforced by a box section, In particularly durable powder coated steel sheet, Lab Chair / Workshop Chair Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		· Easy assembly	7				
Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  The body and the doors reinforced by a box section,  In particularly durable powder coated steel sheet,  Lab Chair / Workshop Chair  Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		· High quality powder coated steel					
sound-absorbing rubber buffers  The body and the doors reinforced by a box section, In particularly durable powder coated steel sheet, Lab Chair / Workshop Chair Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		· Reinforced hinged doors (opening angle: 130 °) equipped with					
The body and the doors reinforced by a box section, In particularly durable powder coated steel sheet, Lab Chair / Workshop Chair Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest							
In particularly durable powder coated steel sheet,      Lab Chair / Workshop Chair     Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest  steel foot-rest		The body and the doors reinforced by a box section,					
Lab Chair / Workshop Chair  Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		In particularly durable powder coated steel sheet,					
Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	90	Lab Chair / Workshop Chair	Part !	30	78.66	2359	00
steel foot-rest		· Robust wooden top seat, with strong steel legs on wheels, and stainless	0				
		steel foot-rest					

	ICE TOTAL (US \$)
4039.65	UNIT PR (US \$ )
SUB-TOTAL (US \$) 4039.65	QUANTITY UNIT PRICE TOTAL (US \$)
SUB-	VISUAL & ITEM CODE
	EM DESCRIPTION
	M DE



Ad

The state of the s					
10	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.		8	154.62	309.34
05	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.		-	230.52	230.52
03	Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 1000Kg load		N	322.59	645.18
40	Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360Kg load	R	Q	584.24	1168.47

Children of the contract of th

N

92	Lockable Metal Office Cabinet – Type B  • With Shelves - Individually height adjustable compartments  • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  • 4 shelves (wxd): approx. 59.5 x 36 cm //  • Materials: steel  • Easy assembly  • High quality powder coated steel  • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  • The body and the doors reinforced by a box section,  • In particularly durable powder coated steel sheet,	~	172.22	172.22
90	Lab Chair / Workshop Chair Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	30	78.66	2359.8

B-TOTAL (US \$) 4885.53  QUANTITY PRICE (US \$)	VISUAL & ITEM CODE	ORY	ESCRIPTION	SUB-TOTAL (US \$ ) 4885.53	ITEM DESCRIPTION  VISUAL & UNIT TOTAL  ITEM QUANTITY PRICE (US \$)  CODE (US \$)
	UNIT QUANTITY PRICE (US \$)	SUB-TOTAL (US \$) 4885.53  VISUAL & UNIT ITEM QUANTITY PRICE CODE (US \$)	VISUAL ITEM CODE		TOTAL (US \$ )
VISUAL ITEM CODE	DESCRIPTION	DESCRIPTION			I E W





Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	a Control	154.62	309.34	
Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.		230.52	230.52	
 Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 1000Kg load		322.59	645.18	
Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360kg load		584.24	1168.47	

CM.

N

Lockable Metal Office Cabinet – Type A		172.22	172.22
With Shelves - Individually height adjustable compartments			
Total dimensions (hxwxd): approx. 120 x 60 x 40 cm	**		
· 4 shelves (wxd): approx. 59.5 x 36 cm //			
· Materials: steel			
· Easy assembly	1		
· High quality powder coated steel			
· Reinforced hinged doors (opening angle: 130 °) equipped with			
sound-absorbing rubber buffers			
· The body and the doors reinforced by a box section,		The state of the s	
· In particularly durable powder coated steel sheet.			

2359.8	
78.66	) 4885.53
30	SUB-TOTAL (US \$ ) 4885.53
	S
Lab Chair / Workshop Chair · Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	
90	

	VISUAL &		
	ITEM	PRICE	(US \$
	CODE	(US \$)	
MACHINES & BEE LABORATORY			

Chia!



Office Chair- executive swivel chair, with leather back and seat, round steel arm and legs.	N C	154.62	29	309.34	
Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.		230.52	25	230.52	
Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360 Kg load	N	584.24	24	1168.47	
Lockable Metal Office Cabinet – Type B  • With Shelves - Individually height adjustable compartments  • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  • 4 shelves (wxd): approx. 59.5 x 36 cm //  • Materials: steel  • Easy assembly  • High quality powder coated steel  • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  • The body and the doors reinforced by a box section,	~	172.22	25	172.22	





Lab Chair / Workshop Chair  Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		30 78.66 SUB-TOTAL (US \$) 4240.35	78.66	2359.8	
1 DESCRIPTION	VISUAL &	UNIT QUANTITY PRICE	UNIT	TOTAL (US\$)	
CONTROL SYSTEMS LABORATORY	CODE		(NS \$ )		-
Office Chair Office chair executive swivel chair, with leather back and seat, round steel arm and legs.		8	154.62	309.34	

9

KM

2359.8	
78.66	) 4403.88
30	SUB-TOTAL (US \$ ) 4403.88
Lab Chair / Workshop Chair · Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	
02	

ITEM	ITEM DESCRIPTION	VISUAL & ITEM CODE	QUANTITY	UNIT PRICE (US \$)	TOTAL (US\$)
	ELECTRICAL MEASUREMENTS & INSTRUMENTS LABORATORY				
01	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	<b>%</b>	α	154.62	309.34
05	Desk – Type A  · 4-legged teacher desk 130x65x76 cm, with drawers  · Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  · Melamine top, thickness 19 mm or laminate thickness 21 mm  · Melamine base and sides, thickness 19 mm, M3 fire retardant.		-	230.52	230.52

2 my

AV

03	. Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 1000Kg load		322.59	322.59
40	Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360 Kg load		584.24	1168.47
92	Lockable Metal Office Cabinet – Type B  • With Shelves - Individually height adjustable compartments • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm • 4 shelves (wxd): approx. 59.5 x 36 cm // • Materials: steel • Easy assembly • High quality powder coated steel • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers • The body and the doors reinforced by a box section, • In particularly durable powder coated steel sheet,		172.22	172.22
90	Lab Chair / Workshop Chair  Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	30	78.66	2359.8

Why.

N

<ul> <li>With Shelves - Individually height adjustable compartments</li> <li>Total dimensions (hxwxd): approx. 120 x 60 x 40 cm</li> <li>4 shelves (wxd): approx. 59.5 x 36 cm //</li> <li>Materials: steel</li> <li>Easy assembly</li> <li>High quality powder coated steel</li> <li>Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers</li> <li>The body and the doors reinforced by a box section,</li> <li>In particularly durable powder coated steel sheet,</li> </ul>	partments cm equipped with on,	2	Lockable Metal Office Cabinet – Type B		1	172.22	172.22
<ul> <li>Total dimensions (hxwxd): approx. 120 x 60 x 40 cm</li> <li>4 shelves (wxd): approx. 59.5 x 36 cm //</li> <li>Materials: steel</li> <li>Easy assembly</li> <li>High quality powder coated steel</li> <li>Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers</li> <li>The body and the doors reinforced by a box section,</li> <li>In particularly durable powder coated steel sheet,</li> </ul>	cm equipped with on,		With Shelves - Individually height adjustable compartments				
<ul> <li>4 shelves (wxd): approx. 59.5 x 36 cm //</li> <li>Materials: steel</li> <li>Easy assembly</li> <li>High quality powder coated steel</li> <li>Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers</li> <li>The body and the doors reinforced by a box section,</li> <li>In particularly durable powder coated steel sheet,</li> </ul>	equipped with on,			ax*			
<ul> <li>Materials: steel</li> <li>Easy assembly</li> <li>High quality powder coated steel</li> <li>Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers</li> <li>The body and the doors reinforced by a box section,</li> <li>In particularly durable powder coated steel sheet,</li> </ul>	equipped with on,						
<ul> <li>Easy assembly</li> <li>High quality powder coated steel</li> <li>Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers</li> <li>The body and the doors reinforced by a box section,</li> <li>In particularly durable powder coated steel sheet,</li> </ul>	equipped with on,		· Materials: steel				
<ul> <li>High quality powder coated steel</li> <li>Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers</li> <li>The body and the doors reinforced by a box section,</li> <li>In particularly durable powder coated steel sheet,</li> </ul>	equipped with on,		· Easy assembly	1			
<ul> <li>Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers</li> <li>The body and the doors reinforced by a box section,</li> <li>In particularly durable powder coated steel sheet,</li> </ul>	equipped with on,		· High quality powder coated steel				
sound-absorbing rubber buffers  The body and the doors reinforced by a box section, In particularly durable powder coated steel sheet,	on,		· Reinforced hinged doors (opening angle: 130 °) equipped with				
The body and the doors reinforced by a box section, In particularly durable powder coated steel sheet,	on,		sound-absorbing rubber buffers				
· In particularly durable powder coated steel sheet,	30		· The body and the doors reinforced by a box section,				
	30		· In particularly durable powder coated steel sheet,				
		9	Lab Chair / Workshop Chair		30	78.66	2359.8
30 78.66	Robust wooden top seat, with strong steel legs on wheels, and stainless		· Robust wooden top seat, with strong steel legs on wheels, and stainless	)			

0. 0.00 0.00 0.00 0.00 0.00 0.00 0.00		TOTAL (US\$)	
00.00	4562.94	UNIT PRICE (US \$ )	
2	SUB-TOTAL (US \$) 4562.94	UNIT QUANTITY PRICE (US\$)	
	SUB-TC	VISUAL & ITEM CODE	
Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		TEM DESCRIPTION	HEAT & MASS LABORATORY
8		HE	



	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	N	154.62	309.34
01	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm	_	230.52	230.52
03	Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 1000Kg load	m	322.59	322.59

Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360 kg load		584.24	584.24
Lockable Metal Office Cabinet – Type B  • With Shelves - Individually height adjustable compartments  • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  • 4 shelves (wxd): approx. 59.5 x 36 cm //  • Materials: steel  • Easy assembly  • High quality powder coated steel  • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  • The body and the doors reinforced by a box section,  • In particularly durable powder coated steel sheet,	-	172.22	172.22

My. h.

I nis chair offers lumbar support Min and max height: 35.5 - 39.2 "H x 25.1" W x 28 "D Dimensions of the seat: 19.9 "lx 18.1" d Backrest dimensions: 19.3 "W Armless design allows for easy movement and versatility Swivel tilt with adjustable tension control for added comfort				
	SUB-TOTA	SUB-TOTAL (US \$ ) 3978.71	3978.71	

ITEM	TEM DESCRIPTION	VISUAL & ITEM CODE	UNIT QUANTITY PRICE (US\$)	UNIT PRICE (US \$ )	TOTAL (US \$ )
	THERMODYNAMICS LABORATORY				
10	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.		a	154.62	309.34
05	Desk – Type A  · 4-legged teacher desk 130x65x76 cm, with drawers  · Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  · Melamine top, thickness 19 mm or laminate thickness 21 mm  · Melamine base and sides, thickness 19 mm, M3 fire retardant.		-	230.52	230.52





Lockable Metal Office Cabinet – Type B	-	172.22	172.22
With Shelves - Individually height adjustable compartments			
· Total dimensions (hxwxd): approx. 120 x 60 x 40 cm	z.'		
· 4 shelves (wxd): approx. 59.5 x 36 cm //			
· Materials: steel			
· Easy assembly	,		
· High quality powder coated steel			
· Reinforced hinged doors (opening angle: 130 °) equipped with			
sound-absorbing rubber buffers			-
<ul> <li>The body and the doors reinforced by a box section,</li> </ul>			
· In particularly durable powder coated steel sheet,			

2359.8	
78.66	5208.13
ee	SUB-TOTAL (US \$) 5208.13
Lab Chair / Workshop Chair Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	
90	

	VISUAL &	QUANTITY	SUANTITY UNIT PRICETOTAL	
	ITEM		(\$ SN)	(US \$)
	CODE			**************************************
HYDRAULIS & FLUID MECHANICS LABORATORY				





Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	N	154.62	309.34	
Desk – Type A  · 4-legged teacher desk 130x65x76 cm, with drawers  · Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  · Melamine top, thickness 19 mm or laminate thickness 21 mm  · Melamine base and sides, thickness 19 mm, M3 fire retardant.		230.52	230.52	
Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 1000Kg load		322.59	967.77	
Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360 Kg load		584.24	584.24	

My D.

Lockable Metal Office Cabinet – Type B		172.22	172.22
· With Shelves - Individually height adjustable compartments			
· Total dimensions (hxwxd): approx. 120 x 60 x 40 cm	22.		
· 4 shelves (wxd): approx. 59.5 x 36 cm //			
· Materials: steel			
· Easy assembly			
· High quality powder coated steel			
· Reinforced hinged doors (opening angle: 130 °) equipped with			
sound-absorbing rubber buffers			
· The body and the doors reinforced by a box section,			
<ul> <li>In particularly durable powder coated steel sheet,</li> </ul>			

2359.8	
78.66	4623.89
30	SUB-TOTAL (US \$) 4623.89
Lab Chair / Workshop Chair · Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	
90	

	VINOAL &			JAIO I
	ITEM	QUANTITY	PRICE	(US \$)
	CODE		(SS)	
THEORY OF MACHINES LABORATORY				

My D.

N/

		100 PC 0 P		
TEM DESCRIPTION	VISUAL & ITEM	QUANTITY	UNIT PRICE	TOTAL (US \$)
REFFRIGERATION & AIRCONDITIONING LABORATORY			( & 00)	
Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	<b>%</b> (-	Ν	154.62	309.34
		<b>7</b> -	230.52	230.52
 Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 1000Kg load		m	322.59	22.77

Work Table Type 2 Work bench laminated top, Steel leg frame,  $1500 \times 750 \times 840 \text{mm}$ , 360 Kg load

8

1168.48

584.24

KY)

P	
1.	

Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 25 22.39  Work Table Type 2  Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360 Kg load  Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360 Kg load  Lockable Metal Office Cabinet – Type A  With Shelves - Individually height adjustable compartments  Lockable Metal Office Cabinet – Type A  With Shelves (wxd): approx. 120 x 60 x 40 cm  4 shelves (wxd): approx. 59.5 x 36 cm //  Materials: steel  Easy assembly  High quality powder coated steel  Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  The body and the doors reinforced by a box section,  In particularly durable powder coated steel sheet,  Upholstery in cloth colors of your choice  This chair offers lumbar support  Upholstery in cloth colors of your choice  This chair offers lumbar support  Min and max height: 35.5 - 39.2 "H x 25.1" W x 28 "D  Dimensions of the seat 19.9 "N 18.1" d  Backrest dimensions: 19.3 "W  Ammless design allows for easy movement and versatility  Swivel tilt with adjustable tension control for added comfort	06	0	0	
top, Steel leg frame, 1500 x 750 x840mm, 260 Kg  2 584.24  el leg frame, 1500 x 750 x840mm, 360 Kg  2 7/ppe A ght adjustable compartments rox, 120 x 60 x 40 cm  x 36 cm //  x 36 cm //  coated steel sheet, coated steel sheet, 7 movement and versatility on control for added comfort  2 78.66	G)	05	24	03
30 78.66 78.66	Lab Chair Upholstery in cloth colors of your choice This chair offers lumbar support Min and max height: 35.5 - 39.2 "H x 25.1" W x 28 "D Dimensions of the seat: 19.9 "Ix 18.1" d Backrest dimensions: 19.3 "W Armless design allows for easy movement and versatility Swivel tilt with adjustable tension control for added comfort	Lockable Metal Office Cabinet – Type A  With Shelves - Individually height adjustable compartments  Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  4 shelves (wxd): approx. 59.5 x 36 cm //  Materials: steel  Easy assembly  High quality powder coated steel  Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  The body and the doors reinforced by a box section, In particularly durable powder coated steel sheet,	Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360 Kg load	Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 1000Kg load
78.66 78.66	-8-0			
2 4 6	30			N
172. 168	78.66	172.22	584.24	322.59
3.48	2359.8	172.22	1168.48	645.18

Chy.

		-90%	SUB-TUTAL (US \$) 4562.94	4302.34	
TEM	TEM DESCRIPTION	VISUAL & ITEM CODE	UNIT QUANTITY PRICE (US\$)	UNIT PRICE (US \$)	TOTAL (US \$)
	EEM LABORATORY				
10	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	<b></b>	a	154.62	309.34
05	Desk – Type A  - 4-legged teacher desk 130x65x76 cm, with drawers  - Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  - Melamine top, thickness 19 mm or laminate thickness 21 mm  - Melamine base and sides, thickness 19 mm, M3 fire retardant.		7-	230.52	230.52
03	Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 $\times$ 750 $\times$ 840mm, 1000Kg load		~	322.59	322.59

1168.47 584.24 Work Table Type 2 Work bench laminated top, Steel leg frame,  $1500 \times 750 \times 840 \text{mm}$ , 360 Kg load

2 Chillians

4

/P

									9
<ul> <li>The body and the doors reinforced by a box section,</li> <li>In particularly durable powder coated steel sheet,</li> </ul>	sound-absorbing rubber buffers	Reinforced hinged doors (opening angle: 130°) equipped with	· High quality powder coated steel	· Easy assembly	· Materials: steel	· 4 shelves (wxd): approx. 59.5 x 36 cm //	· Total dimensions (hxwxd): approx. 120 x 60 x 40 cm	<ul> <li>With Shelves - Individually height adjustable compartments</li> </ul>	Lockable Metal Office Cabinet – Type B
							,77		
									172.22
									172.22

	8 · E
	Lab Chair / Workshop Chair Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest
SUB-	<b>3</b>
SUB-TOTAL (US \$) 4562.94	30
4562.94	78.66
	2359.8

			ITEM
DRIVERS LABORATORY			ITEM DESCRIPTION
	CODE	ITEM	VISUAL &
	(US \$ )	QUANTITY PRICE	TINO
		(US \$ )	TOTAL

Cherry.

		1		1
	,	1	نعر	,
1	/	ď		
/				

0	0	
04	03	02
Lockable Metal Office Cabinet – Type B  With Shelves - Individually height adjustable compartments  Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  4 shelves (wxd): approx. 59.5 x 36 cm //  Materials: steel  Easy assembly  High quality powder coated steel  Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  The body and the doors reinforced by a box section,  In particularly durable powder coated steel sheet,	Work Table Type 5 Aluminum/carbon steel Frame	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.
1	4	
172.22	333	230.52
172.22	1332.00	230.52

Con Const.

		4	-
		-	
	1		1
	/		
/	6		

04	03	02	9
Work Table Type 2 Work bench laminated top, Steel leg frame, 1500 x 750 x840mm, 360 Kg load	Work Table Type 1 Work bench with hard wooden top, Steel leg frame, 1500 x 750 x840mm, 1000Kg load	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.
N	_	21	2
584.24	322.59	230.52	154.62
1168.47	322.59	230.52	309.34

0	
N	
/ "	

2 Auditorium/ Lecture Theatre Seating AUDITORIUM/ LECTURE THEATRE COMPLEX DESCRIPTION Colour to be confirmed at order Fire retardant foam Writing surface hidded inside armrest Arm rest - half compartment - Top of armrest wooden Chairs with writing surface Double metal legs VISUAL & ITEM QUANTITY SUB-TOTAL (US \$ ) 9462.8 250 178.20 44550.00 (GMD)

Chy.

_	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	Ν	154.62	309.34
05	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.	-	230.52	230.52
03	Work Table Type 4 Heavy Duty Workbench with Steel Top, accommodate up to 1,000kg load	e e	393.13	1179.39

8	Lockable Metal Office Cabinet – Type B		172.22	172.22
	· With Shelves - Individually height adjustable compartments			
	· Total dimensions (hxwxd): approx. 120 x 60 x 40 cm	x.		
	· 4 shelves (wxd): approx. 59.5 x 36 cm //			
	· Materials: steel			
	· Easy assembly			
	· High quality powder coated steel			
	· Reinforced hinged doors (opening angle: 130 °) equipped with			
	sound-absorbing rubber buffers			
	· The body and the doors reinforced by a box section,			
	In particularly durable powder coated steel sheet,			





			Kobust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest		
--	--	--	---	--	--

ITEM	ITEM DESCRIPTION	VISUAL & ITEM CODE	UNIT QUANTITY PRICE (US\$)	UNIT PRICE (US \$ )	TOTAL (US \$ )
	WELDING WORKSHOP				
10	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	<b>%</b>	2	154.62	309.34
00	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.		-	230.52	230.52

Chi

03	Work Table Type 4 Heavy Duty Workbench with Steel Top, accommodate up to 1,000kg load	м	393.13	1179.39
4	Lockable Metal Office Cabinet – Type B  • With Shelves - Individually height adjustable compartments  • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  • 4 shelves (wxd): approx. 59.5 x 36 cm //  • Materials: steel  • Easy assembly  • High quality powder coated steel  • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  • The body and the doors reinforced by a box section,  • In particularly durable powder coated steel sheet.		172.22	172.22
05	Lab Chair / Workshop Chair  Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	30	78.66	2359.8

SUB-TOTAL (US \$) 4251.27

Chair

Bel

TOTAL	( <del>)</del>		309.34	230.52	1179.39
UNIT	(08 \$)		154.62	230.52	393.13
UNIT PRICE			a	α	m
VISUAL &	CODE				
ITEM DESCRIPTION		MECHANICAL WORKSHOP	Office Chair Office chair- executive swivel chair, with leather back and seat, round steel arm and legs.	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.	Work Table Type 4 Heavy Duty Workbench with Steel Top, accommodate up to 1,000kg load
LE			20	05	03

My Ord



Lockable Metal Office Cabinet – Type A  With Shelves - Individually height adjustable compartments  Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  4 shelves (wxd): approx. 59.5 x 36 cm //  Materials: steel  Easy assembly  High quality powder coated steel  Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  The body and the doors reinforced by a box section,	_	172.22	77.77
Lab Chair  Upholstery in cloth colors of your choice  This chair offers lumbar support  Min and max height: 35.5 - 39.2 "H x 25.1" W x 28 "D  Dimensions of the seat: 19.9 "Ix 18.1" d  Backrest dimensions: 19.3 "W  Armless design allows for easy movement and versatility  Swivel tilt with adjustable tension control for added comfort	30	78.66	2359.8

SUB-TOTAL (US \$) 4251.27

Chy

N

	AUTOMATIVES LABORATORY & WORKSHOP				
10	Office Chair Office chair executive swivel chair, with leather back and seat, round steel arm and legs.	<b>%</b> (-	2	154.62	309.34
05	Desk – Type A  4-legged teacher desk 130x65x76 cm, with drawers  Tube base Ø40x1.5mm, welded tube frame 40x20x1.5mm, M1 flame retardant steel, epoxy paint  Melamine top, thickness 19 mm or laminate thickness 21 mm  Melamine base and sides, thickness 19 mm, M3 fire retardant.		a	230.52	230.52
03	Work Table Type 4 Heavy Duty Workbench with Steel Top, accommodate up to 1,000kg load		m	393.13	1179.39

ITEM (US\$) (US\$) (US\$)	I DESCRIPTION	ISUAL & QUANTITY UN	TY UNIT PRICE TOTAL	
CODE		EM	_	
		ODE		





4	Lockable Metal Office Cabinet – Type A  • With Shelves - Individually height adjustable compartments  • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  • 4 shelves (wxd): approx. 59.5 x 36 cm //  • Materials: steel  • Easy assembly  • High quality powder coated steel  • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  • The body and the doors reinforced by a box section,  • In particularly durable powder coated steel sheet,	<u>a'</u>	~	172.22	172.22	52
02	Lab Chair / Workshop Chair - Robust wooden top seat, with strong steel legs on wheels, and stainless steel foot-rest	0-80	30	78.66	2359.8	8.

SUB-TOTAL (US \$ ) 4251.27	QUANTITY UNIT PRICETOTAL	(US\$) (US\$)		
JB-TOTAL (U				
S	VISUAL &	ITEM	CODE	
				R'S OFFICE
	RIPTION			IICE CHANCELLOR'S OFFICE
	TEM DESCRIPTION			VICE (
	里			

Cher.

Bul

1-1- 0 -1-1- O				
lable, 3 chairs, Small table and	2			
drawer - Executive desk with side				
and rear drawer				
Office chair- executive swivel chair, with leather back and seat, round steel	1			
arm and legs				
number robust office visitor chair with strong steel legs, leather back and				
eather seat			,	
coat Hanger	**		121.55	121.55
contemporary design tripod coat rack	<del>&gt;</del>			
Type Coat rack on stand				
Black color	<u> </u>			
Material Metal				
Shelf branches + 9 hooks				
Dim. 45L x 45W x 180H cm				
	SUB-TC	SAT (US	\$) 9250.25	
	ust office visitor chair wit y design tripod coat rack ack on stand all les + 9 hooks les + 9 hooks les + 9 hooks	y design tripod coat rack ack on stand tal hees + 9 hooks 45W x 180H cm	y design tripod coat rack ack on stand tal  tal  15W x 180H cm	y design tripod coat rack ack on stand tal hooks 45W x 180H cm

Chy

N	DESCRIPTION	JISUAL & ITEM	QUANTITY	UNIT PRICE	TOTAL
		ODE		(GMD)	(GMD)
					The same of the sa

REGISTRARS OFFICE AND ADMIN. OFFICE			
Registrar's Office Set Table, 3 chairs, Small table and drawer - Executive desk with side and rear drawer Office chair- executive swivel chair, with leather back and seat, round steel arm and legs 2 number robust office visitor chair with strong steel legs, leather back and leather seat	nd seat, round steel	9128.70	9128.70
	SUB-TOTA	SUB-TOTAL (US \$) 9128.70	0

Chy)

ITEM	DESCRIPTION	VISUAL & ITEM	QUANTITY	UNIT PRICE	TOTAL
		CODE		(GMD)	(GMD)

	MEETING/ CONFERENCE ROOM			
70	Conference Table Set  Wide Standard Conference table set with 10 to 12 chairs. 1500 x 5000mm	_	4636.80	4636.80
05	Cupboard for Office  • With Shelves - Individually height adjustable compartments  • Total dimensions (hxwxd): approx. 120 x 60 x 40 cm  • 4 shelves (wxd): approx. 59.5 x 36 cm //  • Materials: steel  • Easy assembly  • High quality powder coated steel  • Reinforced hinged doors (opening angle: 130 °) equipped with sound-absorbing rubber buffers  • The body and the doors reinforced by a box section,  • In particularly durable powder coated steel sheet,	_	1076.40	1076.40
03	Movable Smart Board For Meeting Room / Including Data show approx. 3,00 m x 1,2 m.		3749.60	3749.60

Ky.



ITEM DESCRIPTION		VISUAL & ITEM QUANTITY CODE	QUANTITY	UNIT PRICE (GMD)	TOTAL (GMD)
age L Movak ovisio onferei	Stage Lecturer/Conference Panel Seating  Movable propriety conference panel desk and chair modules with provision for micro phone capable of seating 8 people, and lecture/conferencier stand with provision for micro phone		_	20182.50	20182.50

(S)

Movable Smart Board For Meeting Room / Including Data show approx. 2,00 m x 1,2 m.	<ul> <li>Allows access to all computer functions directly on your interactive touchscreen whiteboard</li> <li>formats (87 inches),</li> <li>responsive with 4 simultaneous contact points (finger and / or stylus).</li> <li>The table recognizes the objects: finger / stylus / eraser.</li> <li>It comes with the SMART Learning educational suite</li> <li>It must be coupled to a short or ultra-short throw projector.</li> </ul>		
	Movable Smart Board For Meeting Room / Including Data show approx. 2,00 m x 1,2 m.	3749.60	3749.60

ENTRANCE RECEPTION AND LOBBY  (US \$)  (US \$)  (US \$)	TEM DESCRIPTION	VISUAL &	QUANTITY	UNIT PRICE TO	DTAL
		ITEM		(n) (ssn)	S \$ )
ENTRANCE RECEPTION AND LOBBY		CODE			
	ENTRANCE RECEPTION AND LOBBY				

18 C/2



	ITEM DESCRIPTION	VISUAL & ITEM QUANTITY CODE	QUANTITY	UNIT PRICE (GMD)	TOTAL (GMD)
70	Reception Desk  Reception desk with 3 chairs, low-level including disabled interaction area (5 meters long) Timber frame with laminate finish.  Lockable drawers and cabinets on the inside.		<del>-</del>	1895.68	1895.68
05	Waiting Area Sofa Set  Two seater sofa sets (8 number) side tables (4 numbers)		8	824.97	8495.44
		SUB-T(	SUB-TOTAL (US \$ ) 10391.12	10391.12	

Ky.



# Ministry of Basic and Secondary Education Willy Thorpe Place Building, Banjul, The Gambia

## Notification of Intention to Award

Name: QUANTUNNET LIMITED
Address: Kairaba Avenue Serrekunda
P.O. Box 3469 Serrekunda, The Gambia

Telephone: +220 4378430

Email Address: support@qanet.gm

DATE OF TRANSMISSION: 11th December, 2024

# **Notification of Intention to Award**

Employer: Ministry of Basic & Secondary Education (MoBSE)

Project: ACEIMPACT (ACE)

Contract title: Supply, Delivery and Installation of Furniture and ICT Equipment for the Campus for University of Science, Engineering and Technology for Entrepreneurship (USET)

at Brikama

Country: The Gambia Grant No. P169064

RFB No: MoHERST/STEE/ACEIMPACT/GS/021

This Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. The transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:

- a) request a debriefing in relation to the evaluation of your Bid, and/or
- b) submit a Procurement-related Complaint in relation to the decision to award the contract.

E.



#### 1. The successful Bidder

Name:	QUANTUMNET LIMITED
Address:	Kairaba Avenue Serrekunda, P.O. Box 3469 Serrekunda, The Gambia
Contract price:	USD 784,097.53

#### 2. Other Bidders

Name of Bidder	Bid price	Evaluated Bid price (if applicable)
DIY Emporium	USD 976,572.33	USD 968,301.53
Unique Solutions	GMD 53,208,586.78	GMD 53,208,586.78
Yemgaf Enterprise	GMD 50,788,000.00	GMD 50,788,000.00
GRADICO B.V	USD 506,217.52	USD 506,217.52

#### 3. Reason/s why your Bid was unsuccessful

#### 4. How to request a debriefing

DEADLINE: The deadline to request a debriefing expires at midnight on  $[17^{th}]$  December, 2024] (local time).

You may request a debriefing in relation to the results of the evaluation of your Bid. If you decide to request a debriefing your written request must be made within three (3) Business Days of receipt of this Notification of Intention to Award.

Provide the contract name, reference number, name of the Bidder, contact details; and address the request for debriefing as follows:

Attention: Abdoulie Sowe

Title/position The Project Manager

Agency: Projects Coordination Unit

Ministry of Basic and Secondary Education

THE

of of

Email address: pm.pcu@edugambia.gm

#### Fax number:

If your request for a debriefing is received within the 3 Business Days deadline, we will provide the debriefing within five (5) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (5) Business Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.

The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.

If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Business Days from the date of publication of the Contract Award Notice.

#### 5. How to make a complaint

Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, 18th December, 2024 (local time).

Provide the contract name, reference number, name of the Bidder, contact details; and address the Procurement-related Complaint as follows:

Attention: Abdoulie Sowe

Title/position The Project Manager **Agency: Projects Coordination Unit** 

Ministry of Basic and Secondary Education

Email address: pm.pcu@edugambia.gm

At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.

#### Further information:

For more information see the Procurement Regulations for IPF Borrowers (Procurement Regulations)[https://policies.worldbank.org/sites/ppf3/PPFDocuments/Forms/DispPage.asp x?docid=4005] (Annex III). You should read these provisions before preparing and submitting your complaint. In addition, the World Bank's Guidance "How to make a Procurement-related Complaint" [http://www.worldbank.org/en/projectsoperations/products-and-services/brief/procurement-new-framework#framework| provides a useful explanation of the process, as well as a sample letter of complaint.

In summary, there are four essential requirements:

Hy ). N

- 1. You must be an 'interested party'. In this case, that means a Bidder who submitted a Bid in this bidding process, and is the recipient of a Notification of Intention to Award.
- 2. The complaint can only challenge the decision to award the contract.
- 3. You must submit the complaint within the period stated above.
- 4. You must include, in your complaint, all of the information required by the Procurement Regulations (as described in Annex III).

#### 6. Standstill Period

DEADLINE: The Standstill Period is due to end at midnight on 31st December, 2024 (local time).

The Standstill Period lasts ten (10) Business Days after the date of transmission of this Notification of Intention to Award.

The Standstill Period may be extended as stated in Section 4 above.

If you have any questions regarding this Notification, please do not hesitate to contact us.

On behalf of the Employer:

Signature:

Name:

Abdoulie Sowe

Title/position: Project Manager

Telephone:

(+220) 9966871

Email:

pm.pcu@edugambia.gm

they . of



Project Manager,
Projects Coordination Unit (PCU)
Ministry of Basic and Secondary Education (MoBSE),
Willy Thorpe Place Building, Banjul, The Gambia

21st January 2025

Dear Sir,

# ACKNOWLEDGEMENT AND ACCEPTANCE OF YOUR INTENT TO AWARD CONTRACT No: MoHERST/STEE/ACE-IMPACT/GS/006 Supply of Furniture and ICT Equipment for USET Engineering Program

We wish to acknowledge and accept your offer letter dated 17<sup>th</sup> January 2025 and received the same day totaling <u>US \$ 400, 000.00</u> (<u>FOUR HUNDRED THOUSAND DOLLARS ONLY</u>). As per our offer during the negotiation.

Offer to supply the Furniture and ICT Equipments and services listed below:

### Furniture and ICT Equipments

Due to the urgency of the project, we made a trip to Senegal to see about availability, but unfortunately we were not successful

As per the manufacturer and supplier, all equipment will be delivered within 11-13 weeks from the contract signing date.

We would kindly ask in other to speed up the process for a timely delivery the contract be drawn in US dollars and exempted from any withholding or other taxes as per the offer during the tender. We also request for an initial payment of 40% of the negotiated contract sum.

We also ask that all duty waiver applications be processed in time to avoid any delay at the sea port once goods arrive. All documentations will be addressed to the beneficiary and consigned directly to the Ministry.

Thank you once again and look forward to doing more business with you.

d secr dany Tucation (McBSF). Blummo, Bandi, The Gambia

Yours Truly,

Ousman Kebbeh General Manager

Cc: PS MoHERST

DIBBY SW.

Hy.

QuantumNET House, Kairaba Avenue Serrekunda The Gambia PO Box 3469 Serrekunda Tel: 3333643 Fax: 4378406 Email: support@ganet.gm www.qanet.gm

N